| USE THESE CARDS WITH A CLASSROOM SIZE SPIDER CHART. CUT THE BORDERS AS NEEDED TO FIT THE CHART; Be sure to run this sheet off and check spacing | |
|---|---------------|
| Cerebratulus lacteus | Anas rubripes |
| Euspira triseriata | Black Duck |
| Northern Moon snail | Rock Crab |

Snips off the siphons of larger clams and eats small clams that are burrowed shallowly in the flat

| A gastropod that preys on clams in a similar way as the Northern Moon snail | |
|---|-----------|
| Mummichog | Bloodworm |
| Carcinus maenas | |

Gastropod (a snail or related mollusk*)that drills a hole near the umbo area of the clam shell

Sandworm

Creamy reddish/pink **WORM** which preys on small clams and has a bite that is painful to humans; its color may account for its name

Green Crab

A crab with nine marginal teeth on the carapace of its shell; known as Maine crab, Atlantic crab, peeky toe crab

Euspira heros

Glycera dibranchiata

| Fundulus | Crangon |
|------------------|---------------|
| heteroclitus | septemspinosa |
| Cancer irroratus | Milky ribbon |
| | worm |
| Neanthes virens | Hardy fish |
| | that eats |
| | clams |
| | measuring < |
| | 20mm |

Notorious crustacean; its population seems to flourish in warmer water; clam needs to be about 1 ½" to be safe from it

Worm that can grow to a great length; eats mostly seaweed, but will eat clams ≤3mm.

large edible crustacean with 5 pairs of legs, the first set being very large and clawlike compared to the other pairs

Homarus americanus

Everts its proboscis into the clam's siphon and eats it from the inside out Spotted Moon Snail American, Northern or Maine Lobster